

# International Criticality Benchmark Comparison for Nuclear Data Validation Summary of the work 2019 - 2022

J.L. Alwin, F.B. Brown, M.E. Rising, K. Y. Spencer

D. Heinrichs, S. Kim

B.J. Marshall, E.M. Saylor (former at ORNL) , J. Clarity (former at ORNL)

N. Leclaire, A. Bardelay



# Motivation and work performed

Two objectives of the intercomparison exercise:

- Cross-validation of Monte Carlo codes:
  - for the same model, Monte Carlo codes shall provide the same results ( $\pm$  calculation uncertainty)
  - source of discrepancies: error or differences in the benchmark model (e.g. revision), processing of nuclear data, ...
- Feedback on nuclear data libraries: rigorous methodology to assess the quality and validation of libraries

Codes	MORET 5	COG11	MCNP6	KENO
Nuclear data libraries	ENDF/B-VII.1 ENDF/B-VIII.0 JEFF-3.3	ENDF/B-VII.1 ENDF/B-VIII.0 JEFF-3.3	ENDF/B-VII.1 ENDF/B-VIII.0	ENDF/B-VII.1 ENDF/B-VIII.0
Processing tool	GAIA 1 (based on NJOY)	PREPRO (except for TSL and JEFF lib.)	NJOY	AMPX



# Motivation and work performed

Identification of common benchmarks between the MORET, MCNP, COG and KENO codes



	MORET	COG	MCNP	KENO	Common benchmarks
Pu	248	766	261	93	63
HEU	450	1044	386	102	37
IEU	167	199	13	13	7
LEU	554	801	204	159	32
MIX	219	352	73	61	4
U233	191	193	155	190	128
SPEC	10	10	0	0	10 (2 codes)


*Number of benchmarks cases available for each category*



# Key results: Pu category

- **Good agreement between codes**
- **Discrepancies between nuclear data libraries**
  - Better results for B8.0 and JEFF 3.3 than B7.1 thanks to new evaluations of  $^{239}\text{Pu}$  and  $^{16}\text{O}$  for PST benchmarks
  - For PST-041: Pu solution with 3%  $^{240}\text{Pu}$

**Overestimation with B7.1**




*PST-041 results (MORET calculations)*



# Key results : HEU category

- Significant discrepancies between codes for some cases due to **nuclear data processing**




*HEU results for all codes and ENDF/B-VII.1*



# Key results : HEU category

- Significant discrepancies between nuclear data libraries for specific reflectors and bias observed
- **In general, better results with B8.0** compared to B7.1 and JEFF3.3

Benchmarks	Reflector
005	Be-Mo
011	CH <sub>2</sub>
013	Steel
017	Be
030&038	U
092&093	Mo
94	U






# Key results : IEU category

- **Good agreement between codes** (except IMF-009 with KENO due to CH<sub>2</sub> TSL processing, correction done in the last version of SCALE)
- **Discrepancies between nuclear data libraries: identification of isotopes**

**X** Discrepancy due to reflector **X**

**U** Discrepancy due to **U**




*IEU results with COG and all nuclear data libraries*



# Key results : LEU category

- Some discrepancies between codes → TSL processing for water



Codes results for ENDF/B-VII.1


- Good agreement between nuclear data libraries
  - For LCT-10-001 with Pb, better results with ENDF/B evaluations



# Key results : U233 category

- Good agreement between codes
- Discrepancies between nuclear data libraries

– Overall underestimation in the intermediate energy range, higher with B8.0



*U233 results with different libraries (MORET calculations)*



# Key results : MIX UPu and SPEC categories

- **MIX category**

- General good agreement between codes, except with COG for cases sensitive to TSL
- For some MST-001 and -003 cases the C-E are huge, however it can be due to an experimental bias

- **SPEC category: COG and MORET results**

- Discrepancies between codes to be investigated (differences in benchmark modeling?)
- Better results with B7.1 and B8.0



# Conclusions

- For most experiments, **quite good agreement between codes** for similar libraries
  - Impact of nuclear data processing, especially  $S(\alpha,\beta)$
  - Identification of differences between benchmark interpretation
- **Some discrepancies identified between JEFF-3.3, ENDF/B-VII.1 and ENDF/B-VIII.0**
  - Interesting feedback on nuclear data libraries, especially for reflectors
  - There is no “best” evaluations, however it is possible to identify improvement needs
  - Sometimes it is difficult to conclude because there are compensation effects
- Draft version of the final report sent to partners mid-January for review
- Extension of the work in progress for  $\beta_{\text{eff}}$  and shielding calculations (FY2024)



# Prospects

- Intercomparison exercises are very useful for the validation of our Monte Carlo codes, processing tools and nuclear data libraries
  - **IRSN would like to continue this work within the framework of the NCSP**
  - Investigate the origin of codes and libraries discrepancies by carrying out **simple cases** to avoid the effects of compensation
  - Perform an intercomparison exercise for **depletion codes** (VESTA for IRSN)
    - At first, with the same nuclear data library to compare codes and simulation options

## ➤ Acknowledgment

IRSN thanks the NCSP for supporting this action on analytical methods and all the partners for this exercise

And also, Nicolas Leclaire for the results analysis  
(281 benchmarks x 4 codes x 3 libraries)



merci